

Sounder AX08

Loud signalling device with 42 different signals

- ▶ AC and DC versions
- ▶ High volume up to 120 dB(A)
- ▶ Low current consumption
- ▶ Choice of 42 different signal tones
- ▶ Steady frequency rate
- ▶ Sturdy and reliable

Application

The Avisaline sounders are loud, compact signalling devices with good directivity.

Their IP 66 housings qualify them for use both indoors and outside.

Design

The housing consists of ABS. The sounders are equipped with 42 different tones and are therefore suitable for universal use.

The Sounders are available in AC and DC version. Both versions are designed for a 3-stage alarm.



Signalling devices with good directivity

for use indoors and
outside.



Technical specifications

Housing	ABS		
Colour	red		
Protection degree	IP 66 (IEC 60529)		
Cable gland	knockouts		
Volume	approx. 101–120 dB(A) (depending on signal tone)		
Signals	42 different signal tones 3 tones extern swichable		
Temperature range	-25 °C to +70°C		
Weight	AC	DC	
	AX08	2.5 kg	1.6 kg



Order information

Type	Name	Rated voltage V	Operating voltage range V	Current consumption A	Volume dB(A)	Article no.
AX08	Sounder	115 / 230 VAC	115 or 230 V	0.1	101 – 120	215 330 07
AX08	Sounder	24 VDC	18 – 28 V	0.45	101 – 120	215 330 13

Subject to change without notice · Printout 04/13



FHF Funke + Huster Fernsig GmbH · P.O. Box 14 01 66 · D-45441 Mülheim an der Ruhr · Gewerbeallee 15-19 · D-45478 Mülheim an der Ruhr
Telephone +49-208-82 68-0 · Fax +49-208-82 68-286 · <http://www.fhf.de> · e-mail: info@fhf.de